

What is claimed is:

1. A mobile radiation treatment vehicle comprising:

5 a patient treatment compartment, said patient treatment compartment for housing a treatment device capable of emitting radiation used in connection with radiation therapy; and

a shielded partition member positioned in said
10 patient treatment compartment and proximate to said treatment device, said shielded partition member positioned to reduce or prevent exposure to a user from radiation emitted from said treatment device during patient treatment.

2. A mobile radiation treatment vehicle comprising:
a patient treatment compartment having at least one
radiation shield member, said at least one radiation
5 shield member positioned to prevent at least a portion of
radiation emitted from a treatment device from passing
through an interior of said patient treatment compartment
to an outside area;
said treatment device capable of emitting radiation
10 used in connection with radiation therapy and positioned
in said patient treatment compartment; and
a shielded partition member positioned in said
patient treatment compartment and proximate to said
treatment device, said shielded partition member
15 positioned to reduce or prevent exposure to a user from
radiation emitted from said treatment device during
patient treatment.
3. The mobile radiation treatment vehicle according to
20 claim 2 wherein said at least one radiation shield member
has shielding that is selected from the group consisting
of lead, aluminum, alloys of lead, polymers, concrete,
and fiberglass.

4. The mobile radiation treatment vehicle according to claim 2 wherein said shielded partition member has shielding that is selected from the group consisting of
5 lead, aluminum, alloys of lead, polymers, concrete, and fiberglass.

5. The mobile radiation treatment vehicle according to claim 4 wherein said shielded partition member extends a
10 length from a floor of said vehicle sufficient to shield a user.

6. A method for providing radiation therapy comprising:

(a) preparing a mobile radiation treatment vehicle
having

(i) a patient treatment compartment having at
5 least one radiation shield member, at least one
radiation shield member positioned to prevent at
least a portion of radiation emitted from a
treatment device from passing through an interior of
said patient treatment compartment to an outside
10 area;

(ii) said treatment device capable of emitting
radiation used in connection with radiation therapy
and positioned in said patient treatment
compartment; and

(iii) a shielded partition member
15 positioned in said patient treatment compartment and
proximate to said treatment device, said shielded
partition member positioned to reduce or prevent
exposure to a user from radiation emitted from said
20 treatment device during patient treatment;

(b) providing access to an interior area of said
patient treatment compartment to a patient;

(c) securing said treatment device in a position

relative to said patient;

(d) providing radiation therapy to said patient;

and

(e) shielding said user from at least a portion of
5 said radiation emitted from said treatment device.

7. The method according to claim 6 wherein said at
least one radiation shield member has shielding that is
selected from the group consisting of lead, aluminum,
10 alloys of lead, polymers, concrete, and fiberglass.

8. The method according to claim 6 wherein said
shielded partition member has shielding that is selected
from the group consisting of lead, aluminum, alloys of
15 lead, polymers, concrete, and fiberglass.

9. The method according to claim 8 wherein said
shielded partition member extends a length from a floor
of said vehicle sufficient to shield a user.

20

10. The method according to claim 6 wherein said access
is by a door.

11. The method according to claim 10 wherein said door is shielded to limit the passage of radiation.